Hospital Open Tender – List of Items (Neurosurgery)

S. No	Name of Equipment	Specifications	Quantity*
1	Neurosurgical Operating Chair	Technical Specification: -	ONE
	Operating chair		
		- Anatomically formed, Ergonomic adjustable backrest reduces pressure on intervertebral discs and provides ideal	
		support for the lumbar spine.	
		-Completely adjustable for height and lengthwise.	
		- With arm rests stainless steel not less than 350 x 120mm.	
		-Tiltable seat system should have the weight at the time of	
		adjustment in positionOptional backup battery	
		minimizes downtime in the OR.	
		ARM REST:-	
		- Sturdy, height adjustable and fully movable in all	
		directions (360deg). SEAT SYSTEM: -	
		- Seat system evenly distributes your weight as you make	
		the slightest adjustment in position CHASIS :-	
		- 4 Double wheel casters	
		-Independent battery box, powerful and eco-friendly for	
		nonstop use in OT includes integrated emergency stop	
		button.	
		-Foot control pedals for seat up & down.	
		CHAIR MEASUREMENTS:	
		-Width 60cm to 70cm	
		- Depth 50 cm to 55cm	
		LIFTING COLUMN	
		Drive 3000N	
		Lifting Height — 200 mm to 250mm	
		Chassis : 470 X 535mm	
		Maximum Load: 100 to 150 Kg	
		Surgeon Chair should be USFDA& European CE approved.	
2	Radiation Protective		ONE
	Eye Wear (Lead Glasses)	Specification	
	,	The Radiation Protection Eyewear's must be manufactured	
		from a reputed international standard manufacturer.	
		The radiation Protection Eyewear's must have quality	
		standards like CE and US FDA.	

Hospital Open Tender – List of Items (Neurosurgery)

		The glasses should be .75mmPb lead equivalent to provide complete radiation protection to the cornea	
		The Eyewear's should meet ANSI Z87.1+ standards along with ASTM F803 impact resistance standards	
		The Eyewear's should be unisex shape and temple bars and nose bridges that have soft inside rubberized padding for extra comfort.	
		The Eyewear should come with semi rigid case and adjustable nylon strap.	
			ONE
	Head light for	Head light- Xenon light source 6000 kelvin temperature & 100000 Lux power 180 Watt intensity discharge Xenon	
3	Neurosurgery	LAMP. Head bend , fiber optic cable 4.5mm * 71/2 Ft	

S. No.	Item name		Qty
1	Forceps for applying and removing Raney scalp homeostasis clip	Forceps for applying and removing Raney scalp homeostasis clip	2
2	MICRO SCISSORS (SPRING TYPE) BAYONET-	MICRO SCISSORS (SPRING TYPE) BAYONET-SHAPED, YASARGIL Micro scissors, straight 165mm, 6 1/2".	1
3	Yasargil MICRO SCISSORS (SPRING TYPE) BAYONET.	Yasargil MICRO SCISSORS (SPRING TYPE) BAYONET- SHAPED, Upwards curved 165mm, 6 1/2".	1
4	Yasargil forceps FOR GRASPING TISSUE, TUMORS ETC ,	Yasargil forceps FOR GRASPING TISSUE, TUMORS ETC , Tumor Grasping Forceps Jaw flat, serrated, 220 mm, 8 3/4", 7mm	1
5	YASARGIL SAMI TUMOR GRASPING FORCEPS	YASARGIL SAMI TUMOR GRASPING FORCEPS 4mm	1
6	Yasargill-Sami FORCEPS FOR GRASPING tumors etc	Yasargill-Sami FORCEPS FOR GRASPING tumors etc, Jaw spoon-shaped, 240 mm, 9 1/2", 5mm.	1
7	FORKS FOR GRASPING TUMORS ETC.OKONEK- YASARGIL	FORKS FOR GRASPING TUMORS ETC.OKONEK-YASARGIL, Tumor Fork 4 mm width 230 mm, 9"	1
8	MICRO NEEDLE HOLDER WITH FLAT HANDLES AND CROSS- SERRATION	MICRO NEEDLE HOLDER WITH FLAT HANDLES AND CROSS- SERRATION, Straight without catch 160mm, 6 1/4"	1

Hospital Open Tender – List of Items (Neurosurgery)

	MICRO NEEDLE			
	HOLDERS WITH FLAT	MICRO NEEDLE HOLDERS WITH FLAT HANDLES AND		
9	HANDLES AND CROSS-	CROSS-SERRATION, Micro Needle Holder, Straight without		1
9	SERRATION	catch 185 mm, 7 1/4"		1
	MICRO SUTURE TYING FORCEPS ,ROUND	MICRO SUTURE TYING FORCEPS ,ROUND HANDLES,		
10	HANDLES, STRAIGHT	STRAIGHT, Tips 0.3 mm, 120 mm, 4 3/4"		1
	MICRO SUTURE TYING			-
	FORCEPS, ROUND	MICRO SUTURE TYING FORCEPS, ROUND HANDLES,		
11	HANDLES, STRAIGHT	STRAIGHT, Tips 0.6 mm, 180 mm, 7"		1
	DEBAKEY Forceps	DEBAKEY Forceps Straight Tungsten Carbide Tips 1.5mm,		
12	Straight	150mm, 6"non-traumatic jaws		1
	DEBAKEY Forceps			
13	Straight Tip	DEBAKEY Forceps Straight Tip 2.0mm, 150mm, 6"		1
	DEBEKEY Forceps,			
14	Angled Tip	DEBEKEY Forceps, Angled Tip 2.0mm, 150mm, 6"		1
	METZENBAUM-BABY,	METZENBAUM-BABY, Dissecting Scissors, curved, 145 mm,		
15	Dissecting Scissors	5 3/4".		2
10				
16	CHAGLA Vessel Dilator	CHAGLA Vessel Dilator 185 mm 7 1/4", Ø 1 mm, malleable		1
17	JACOBSON probe with	JACOBSON probe with ball tip 185mm, 7 1/4" DIA		4
1/	ball tip	0.5mm/1mm/1.5mm.		1
18	PENFIELD DISSECTORS, (Set of five)	PENFIELD DISSECTORS, (Set of five)		2
10	Micro Dissector			2
19	Bayonet	Micro Dissector Bayonet, curved upward 230 mm, 9"		1
	SAMII KNIFE FOR			-
	CEREBELLAR PONTINE			
	ANGLE TUMOR	SAMII KNIFE FOR CEREBELLAR PONTINE ANGLE TUMOR		
20	OPERATIONS 5	OPERATIONS 5 mm, -(SAMII Knife for tumor tissue	One	
	JACOBSON Micro			
21	vessel Arachnoids Knife	JACOBSON Micro vessel Arachnoids Knife, 185 mm, 7 ¼".	One	
	Scalpel Handle,	Scalpel Handle, bayonet-shaped, 210mm, 8 1/4".		
22	bayonet-shaped	(horizontal)	One Each	
22	Scalpel Handle,			
23	bayonet	Scalpel Handle, bayonet-shaped, 210mm, 8 1/4". (vertical)	One Each	
	Dissector, sharp, Tip	Discontrar allows The middle D 4 man eligibility and Mall 1		
24	width: 2.4 mm slightly	Dissector, sharp, Tip width: 2.4 mm slightly cvd. Whole	0.00	
24	cvd.	Length :190 mm Working Length :90mm	One	
	Dissector, Blunt Tip Width: 3mm Sharp:	Dissector, Blunt Tip Width: 3mm Sharp: slightly cvd. Whole		
25	slightly cvd.	Length :190 mm Working Length :90mm	One	
25		Sickle Style Knife Whole Length:192mm Working		
26	Sickle Style Knife	length:107mm		1
			L	-

Hospital Open Tender – List of Items (Neurosurgery)

	Frazier suction tube,	Frazier suction tube , angled & straight, 4 ½", (Set of three		
27	angled & straight Kerrison Rongeurs) size 7,9 &11 F each	One set	
	Hardy Style handle			
	with ball spring Bite	Kerrison Rongeurs Hardy Style handle with ball spring Bite		
28	Angle Shaft Size 7 inch	Angle Shaft Size 7 inch Length, 90 degree, size	One cach	
20	Length, 90 degree, Kerrison Rongeurs	1mm,2mm,3mm,4mm upward	One each	
	Hardy Style handle			
	with ball spring ,Bite	Kerrison Rongeurs Hardy Style handle with ball spring ,Bite		
	Angle Shaft Size	Angle Shaft Size Length,40 degree up (i) 1mm/ 2mm,		
29	Length,40, 8inch	upward, 8inch	One each	
	Kerrison Rongeurs Hardy Style handle			
	with ball spring Bite	Kerrison Rongeurs Hardy Style handle with ball spring Bite		
	Angle Shaft Size Length	Angle Shaft Size Length 8 inch, 90 degree, size 3mm,4mm		
30	8 inch, 90 degree,	downwards	One each	
	Rampley Sponge			
31	Holding Forceps, Straight, Serrated Jaws	Rampley Sponge Holding Forceps, Straight, Serrated Jaws, 9 1/2" (241mm).		C
31				2
52	MAYO Towel Clip , B.P. Scalpel Handles,	MAYO Towel Clip , 5" (127mm)		4
	No.3 For Use With B.P.	B.P. Scalpel Handles, No.3 For Use With B.P. Blade Size 6,		
33	Blade Size	9, 10, 11, 12, 14 & 15, 4 ¾"		1
	B.P. Scalpel Handle No.			
34	4 For Use With B.P. Blade Size	B.P. Scalpel Handle No. 4 For Use With B.P. Blade Size 20, 21, 22, 23 & 24, 5 ¼" (133mm)		1
54	Yasargil Galea Fish			1
35	Hooks with spring. 16"	Yasargil Galea Fish Hooks with spring. 16" (410 mm), 9mm		2
	CRILF hemostatic			
	ULTRAFINE Artery	CRILF hemostatic ULTRAFINE Artery Forceps, 190mm (7		
36	Forceps, straight	1/2 in.) with teeth, Straight with 1/2 teeth.		4
	CRILF ULTRAFINE			
	hemostatic Artery	CRILF ULTRAFINE hemostatic Artery Forceps, 190mm (7		4
37	Forceps, Curved.	1/2 in.) with teeth, Curved with 1/2 teeth.		4
	DANDY Scalp Hemostatic Forceps,	DANDY Scalp Hemostatic Forceps, curved on side, 5 1/2"		
38	curved on side, 5 1/2"	(140mm), bright finish/ non-glare finish serrated		15
	DANDY Scalp			
	Hemostatic Forceps,			
20	curved on side, 5 1/2"	DANDY Scalp Hemostatic Forceps, curved on side, 5 1/2"		1 -
39	1 x 2 teeth	(140mm), 1 x 2 teeth		15
40	Mckissock dural scissors, straight.	Mckissock dural scissors, straight, 146mm (5 $\frac{3}{4}$ ").		2
10	Metzenbaum dural			2
41	scissors, straight.	Metzenbaum dural scissors, straight, 178mm (7")		2

Hospital Open Tender – List of Items (Neurosurgery)

	Cairns skull flap			
42	elevator	Cairns skull flap elevator		1
43	Adson Straight periosteal elevator.	Adson Straight periosteal elevator, 5mm wide. In Round S.S. handle		1
	Adson Straight	Adson Straight Periosteal Elevator, 7 mm. Wide. IN SS		
44	Periosteal Elevator.	handle		1
	Adson Straight			
45	Periosteal Elevator.	Adson Straight Periosteal Elevator, 10mm wide		1
	Cushing Periosteal	Cushing Periosteal Elevators, sharp, wide. Rounded Edge		
46	Elevators, sharp.	Blade width 5/8"(16mm) Length 7 ¼"(184mm)		1
		Periosteum Elevator 10mm slightly curved and straight in		
		light weight stainless steel handle for firm gripping & lesser		
47	Periosteum Elevator	fatigue, 190mm, 7 1/2"		1
	Cushing periosteal			
48	elevator	Cushing periosteal elevator, slightly curved end.		1
10		Hudson brace ,non-glare 10" stainless steel Snap chuck		
49	Hudson brace	system		1
	Extension piece, to use with Hudson brace, for			
	operations on	Extension piece, to use with Hudson brace, for operations		
50	cerebellum.	on cerebellum.		1
	Hudson Perforator	Hudson Perforator, original standard model,		
51	,original	10mm/12mm/15mm	One Each	
52	Burs Conical burs	Burs Conical burs, 9mm/ 11mm/ 13mm/ 16mm. Non-glare finish	One Each	
-		Burs spherical burs, 9mm/ 11mm/ 13mm/ 16mm. Non-		
53	Burs spherical burs	glare finish	One Each	
Γ 4	Scoville Trephine, with	Scoville Trephine, with rounded pin.Diameter, 1 ½ ", 2 ", 2		
54	rounded pin.	½", 3", pin with guard.	One Each	
	Gigli saw guide and	Gigli saw guide and protector, stainless steel, stain finish.		
55	protector,	Non-glare finish & Non-rusted	Two Each	
	Horsley dura mater			
56	elevator	Horsley dura mater elevator		1
	Sargent dura mater			
57	elevator with groove	Sargent dura mater elevator with groove for stellate		1
57	for stellate incisions	incisions		1
		American Pattern Spinal Fusion Curettes, straight 150mm.		
		(6"), 203 mm. (8 in.) long, in SS hollow handle for lesser		
EO	American Pattern	fatigue & firm gripping, Set of 9 pcs in sizes: - Size 000 Size	One Cat	
58	Spinal Fusion Curettes	00., Size 0 ,Size 1 ,Size 2,Size 3 ,Size 4 ,Size 5,Size 6	One Set	

Hospital Open Tender – List of Items (Neurosurgery)

59	American Pattern Spinal Fusion Curettes	American Pattern Spinal Fusion Curettes, angled 150mm.(6"), 203 mm. (8 in.) long, in SS hollow handle for lesser fatigue & firm gripping, set of 9 pcs in sizes: - Size 000 Size 00., Size 0 ,Size 1 ,Size 2,Size 3 ,Size 4 ,Size 5,Size 6 angular	One Set	
60	Gigli Saw Handle stainless steel	Gigli Saw Handle stainless steel		4
61	CONE Ventricular Needles	CONE Ventricular Needles, 2 holes, Luer Lock Hub Length: 3 ½" (89mm) ,18G,16G, 12G	One Each	
62	FRAZIER Type Dural Hook	FRAZIER Type Dural Hook, sharp. Length: 5"(127 mm) Tip Diameter:(4mm)		1
63	FRAZIER Type Dural Separator	FRAZIER Type Dural Separator, tapered blade width 1/16" to 1/8" (2 to 3mm) Blade Width: ½"(13mm) Total Length: 6 ½"(165mm)		1
64	DANDY Type Nerve Hook	DANDY Type Nerve Hook, straight, blunt. 90° Hook Depth:1/8"(3mm) Total Length: 7"(178mm) Tip Diameter:(1mm)		1
65	DANDY Nerve Hook	DANDY Nerve Hook, straight, blunt, 45° Hook depth: 1/8″ (3mm) Total length: 8 5/8″ (219mm) Tip Diameter: 1.5mm		1
66	Oliver aneurysm needle	Oliver aneurysm needle, small, extra long, 216mm (8 ½").		1
67	WEITLANER, self retaining retractor	WEITLANER, self retaining retractor, 165mm, 61/2" non- glare finish SHARP/ SEMI-SHARP/ BLUNT		2
68	ADSON-BABY blunt	ADSON-BABY blunt self retaining retractor, 145 mm, 5 3/4"		2
69	WEITLANER self retaining retractor	WEITLANER self retaining retractor, Blunt 3 x 4 teeth 250 mm, 10"		2
70	Jansen self-retaining Retractor	Jansen self-retaining Retractor, with blunt blades, 114mm, (4 ½")		2
71	Henderson self- retaining retractor	Henderson self-retaining retractor, straight with 4 x 4 sharp pointed blades, 178mm (7").		2
72	RUSKIN Straight Rongeur	RUSKIN Straight Rongeur 3mm. Length 7"		1
73	RUSKIN Curved Rongeur	RUSKIN Curved Rongeur 3mm. Length 7"		1
74	Twist Drill set, handle with four different bits of size	Twist Drill set, handle with four different bits of size of 2.5mm, 3.5mm, 6mm & 8mm each	One Set	
75	SHUNT TUNNELLER 18"	SHUNT TUNNELLER 18"		1

Hospital Open Tender – List of Items (Neurosurgery)

	SHUNT TUNNELLER			
76	24"	SHUNT TUNNELLER 24"		1
77	Peritoneal shunt trocar with obturator	Peritoneal shunt trocar with obturator 3.0 mm and sheath 4.0 mm total length 150mm (6")		1
78	Mayo-Hegar Needle Holder, light pattern 8".	Mayo-Hegar Needle Holder, light pattern 1 to 3-0 sutures 8".		1
79	Mayo-Hegar Needle Holder, light pattern 6".	Mayo-Hegar Needle Holder, light patterns 1-3-0 suture 6 " (152 mm) Tungsten Carbide jaw & gold plated bows.		1
80	CLOWARD INSTRUMENTS, Blade Retractors	CLOWARD INSTRUMENTS, Blade Retractors, 178 mm. (7 in.) long, Blade 23 mm. wide.	One set	
81	Self-Retaining Cervical Retractor.	Self-Retaining Cervical Retractor. DOUBLE HINGED Large with set of 7 pair of blades, in graduated lengths. Blunt. 30mm 35mm 40mm 45mm 50mm 55mm 60mm Non-glare finish with blade ejector for changing blades	One set	
82	CLOWARD Vertebra Spreader, #3	CLOWARD Vertebra Spreader, #3, depth 75mm, length 160mm (6 ¼"), opening 20mm		1
83	CLOWARD Vertebra Spreader, #4	CLOWARD Vertebra Spreader, #4, depth 85mm, length 170mm (6 ¾"), opening 20mm		1
84	Cloward osteophytes Periosteal Elevator	Cloward osteophytes Periosteal Elevator, 203 mm. (8 in.) long in hollow ss handle provide lesser fatigue & firm gripping		1
85	CLOWARD INSTRUMENT, Self- retaining Tissue Retractor	CLOWARD INSTRUMENT, Self-retaining Tissue Retractor, 1 x 1 prongs, 13 mm. (1/2 in.) long, length 133 mm. (5 1/4 in.) Sharp/ blunt.		1
86	Cloward cervical punch, 40°	Cloward cervical punch, 40° angle:- 2mm wide/ 3mm/ 4mm/ 5mm wide	One Each	
87	CLOWARD Depth Gauge	CLOWARD Depth Gauge Length 8 3/8" (213mm)	One	
88	Gauge for measuring the AP vertebral body depth	Gauge for measuring the AP vertebral body depth	One	
89	Vertebral body dissector	Vertebral body dissector suseable for loosening the posterior longitudinal ligament and removal of disc fragments and osteophytes 205mm, 8 inches	One	
90	CLOWARD Type Hammer	CLOWARD Type Hammer, Small face Diameter ¾" (19mm), Ball Pean, Face Diameter 11/16" (11mm) Weight 8 oz. (227gm) Length 7 ½" (191mm)	One	

Hospital Open Tender – List of Items (Neurosurgery)

	1	1	1
91	CLOWARD Type Bone Graft Impactor	CLOWARD Type Bone Graft Impactor, double ended, End Diameter: 7/16" (11mm), End Diameter: 9/16" (14mm), Length: 8 ¾" (222mm)	One
92	CLOWARD type Bone Graft Impactor and Holder	CLOWARD type Bone Graft Impactor and Holder Length: 8 ¾" (222mm)	One
93	CLOWARD Dowel Impactor, round	CLOWARD Dowel Impactor, round, Diameter: 8mm, Length: 9" (229mm)	One
94	CLOWARD Square Punch	CLOWARD Square Punch, stepped down. Tip width 13mm, Length: 9" (229mm)	One
95	CLOWARD LW Gauge	CLOWARD LW Gauge, designed to be used anywhere on the spine to measure the length and the width of the space.	One
96	CLOWARD Dural Hook	CLOWARD Dural Hook, 165mm (6 1/2")	One
97	Osteotomes, straight	Osteotomes, straight, Length: 8" (203mm) 6mm	One
98	Twist drill,	Twist drill, Ø 1.7mm for preboring holes for distraction screws, drilling depth: 8mm shank Ø 2.35mm, 145mm, 5 ¾″	One
99	Bone Graft Holder And Impactor,	Bone Graft Holder And Impactor, 219 mm, 8 ¼"	One
100	GELPI Skin Retractor	GELPI Skin Retractor, 175mm, 7"	One
101	Longus colli muscle Dissector	Longus colli muscle Dissector, 180mm, 7"	One
102	Vertebral body dissectors	Vertebral body dissectors, usable for loosening the posterior longitudinal ligament and removal of disk fragments and osteophytes205mm, 8"	One
103	Gardner wells, skull traction clamp	Gardner wells, skull traction clamp, for short and long- term traction designed for quick and easy, application. Working on spring mechanism. Black finish with suitable weight set for traction.	2
104	Atul Goyal Skin C. V. Junction Retractor	Atul Goyal Skin C. V. Junction Retractor, 7 ½", Angle: 90º, Shaft.	2
105	Wire tightening pliers 140 mm	Wire tightening pliers, flat - nosed pliers, with serrrated jaws, 5 1/2" (140 mm)	1
106	Wire tightening pliers 180 mm, 7"	Wire tightening pliers, flat - nosed pliers, round pliers 180 mm, 7"	1
107	Cobb spinal gouge tip width, straight	Cobb spinal gouge tip width 1/4" (6mm) Length 11" (279 mm), straight	1
108	Cobb spinal gouge tip width lesser curve	Cobb spinal gouge tip width 1/4" (6mm) Length 11" (279 mm), lesser curve	1

Hospital Open Tender – List of Items (Neurosurgery)

109	Cobb spinal gouge tip width full curve	Cobb spinal gouge tip width 1/4" (6mm) Length 11" (279 mm), full curve	1
110	Cobb spinal gouge tip width reverse curve	Cobb spinal gouge tip width 1/4" (6mm) Length 11" (279 mm), and reverse curve	1
	Casper retractor		
	system complete set		
	for laminectomy &		
	hemi-Laminectomy,	Conner retroctor system complete set for leminestemy 9	
	Lumbar, Thoracic, & cervical retractor with	Casper retractor system complete set for laminectomy & hemi-Laminectomy, Lumbar, Thoracic, & cervical retractor	
111	key	with key	1
	Weitlaner self retaining	Weitlaner self retaining retractor, sharp 3x4 teeth angular	
112	retractor,250 mm	250 mm, 10"	4
	Weitlaner self retaining		
113	retractor, 130 mm.	Weitlaner self retaining retractor sharp, 130 mm, 5 1/8"	2
114	Nerve hook 90 degree	Nerve hook 90 degree	1
115	Nerve hook straight	Nerve hook straight	1
	Gilvernet retractor		-
116	5mm	Gilvernet retractor 5mm	1
	Gilvernet retractor		
117	7mm	Gilvernet retractor 7mm	1
118	Ball tip probe	Ball tip probe	1
	McDonald retractor		
119	small	McDonald retractor small	1
420	McDonald retractor		
120	large size	McDonald retractor large size	1
121	Nerve root retractor 90°	Nerve root retractor 90°	2
121	Nerve root retractor		۷
122	135°	Nerve root retractor 135°	2
	Nerve root retractor		
123	180°	Nerve root retractor 180°	2
	Disc Rrongeur/ forceps		
124	size 1mm straight	Disc Rrongeur/ forceps size 1mm straight	1
	Disc Rrongeur/ forceps		
125	size 2mm straight	Disc Rrongeur/ forceps size 2mm straight	1
	Disc Rrongeur/ forceps		
126	size 3mm straight	Disc Rrongeur/ forceps size 3mm straight	1
	Disc Rrongeur/ forceps		
127	size 4mm straight	Disc Rrongeur/ forceps size 4mm straight	1
	Disc Rrongeur/ forceps		
128	size 1mm upcut	Disc Rrongeur/ forceps size 1mm upcut	1
4.9.5	Disc Rrongeur/ forceps		
129	size21mm upcut	Disc Rrongeur/ forceps size21mm upcut	1
120	Screw driver, handle		_
130	with cross bit for	Screw driver, handle with cross bit for cranial fixation	2

Hospital Open Tender – List of Items (Neurosurgery)

Tender ID – 2017_BSAH_130983_13

	cranial fixation		
	Cranioplasty mesh		
131	cutter	Cranioplasty mesh cutter	1
	Sterilization tray for		
	Instruments, Tray with		
	lid/cover ,Size 10" x 12'		
	Approx. Stainless steel	Sterilization tray for Instruments, Tray with lid/cover ,Size	
132	boxes	10" x 12' Approx. Stainless steel boxes	3
	Sterilization tray for		
	Instruments, Tray with		
	lid/cover ,Size 12" x		
	15" Approx Stainless	Sterilization tray for Instruments, Tray with lid/cover ,Size	
133	steel boxes	12" x 15" Approx Stainless steel boxes	2

*The quantity is approximate and may vary at the time of placing orders.